# FISH FAUNA OF PERIYAR TIGER RESERVE

V.J. ZACHARIAS, A.K. BHARDWAJ AND P.C. JACOB<sup>2</sup>

Key Words: fishes, Periyar Tiger Reserve, Kerala, India

The status and distribution of fishes in the rivers and the lake of Periyar Tiger Reserve, Kerala was studied and 35 species belonging to 7 orders and 11 families were recorded. The family Cyprinidae contained maximum number of species (13). Thirteen species of fishes collected during the study are endemic to Southern Western Ghats. Two new species, namely *Lepidopygopsis typhus* (Schizothoracinae) and *Crossocheilus periyarensis* (Cyprinidae) were recorded from Periyar while another, *Echathalakanda* (*Barbus*) ophiocephalus (Cyprinidae) was rediscovered from Periyar river.

#### INTRODUCTION

The rivers in Kerala once harboured a rich fish fauna according to earlier investigators like Pillay (1929), John (1936), Hora (1941a,b), Raj (1941a,b), Chacko (1948), Silas (1951a, b). But very little information is available on the present status of the freshwater fishes of Kerala, which are threatened by over exploitation, introduction of exotic fishes, habitat destruction and pollution. In the midlands and lowlands of Kerala many fishes have become locally extinct and are disappearing fast. A limited number of them remain in the hills; in protected areas.

Periyar is known to support several interesting and important fishes. Some preliminary studies were done on the fish fauna of Periyar (Raj 1941a,b; Chacko 1948, Silas 1951a, b). Very little is known about the current status of fish fauna in this reserve. Chacko, made an attempt to make a survey of the indigenous fish fauna in 1946, with a view to develop the fishery. He listed 35 species of fishes in the lake. Raj (1941a) has described a small scaled schizothoracine, *Lepidopygopsis typus* Raj, from the Periyar river and Hora (1941a) has described, from Mr. Jone's collection a Homalopterid loach, *Travancoria jonesi*, from Travancore.

Menon and Jacob (1991) have more recently

<sup>1</sup>Accepted August 1995. <sup>2</sup>Periyar Tiger Reserve. Thekkady, Kerala 685 536. described a small scaled Barbel, *Crossocheilus periyarensis* and rediscovered a Cyprinid fish *Barbus (Puntius) ophiocephalus* (Raj) from the Periyar river adding two more species of fishes to the fish fauna of Periyar Tiger Reserve.

The purpose of this paper is to present a status report of the fish fauna of Periyar Tiger Reserve for making comparative studies in future. It will also be helpful to identify the conservation problems and recommend management measures.

## STUDY AREA

Periyar Tiger Reserve lies between 9° 16' and 9° 40' N. lat. and between 76° 55' and 77° 25' E. long. It is bordered by Kottayam and Pathanamthitta districts in the west and south, Peermade Taluk of the Idukki District in the north and Madurai district of Tamil Nadu in the east. The elevation of the Reserve ranges from 800 to 2019 m. Several peaks rise above 1600 m the prominent peak being Vellimala (2019 m).

River, Periyar which originates from Chokkampetti-Kallimalai side, about 58 Km from Thekkady with its various tributaries form the main drainage of the area. The lake, which was formed as a result of the construction of the dam has an area of 26 sq. km. Maximum depth of water at highest water level is 46 m. Two other rivers, Pamba and Azhutha also flow along the border of the reserve in the Vallakkadavu range.

# JOURNAL, BOMBAY NATURAL HIST. SOCIETY, Vol. 93 (1996)

			Table 1		
FISH	FAUNA	OF	PERIYAR	TIGER	RESERVE

Name of the Species		Local/Tribal Name	Locality	Relative abundance	General distribution
Orc Fan	ler CYPRINIFORMES nily Cyprinidae				
Sub 1.	ofamily cyprininae Cyprinus carpio communis				
2.	(Linn.) Puntius melanostignua (Day)	Goldfish Kudukunda	Lake only River & Lake	Common Very common in	Exotic species India; Hill streams of Kerala, Nitairis
3.	Puntius melanampyx (Day)	Kudukunda	River & Lake	Very common in	India; Hill streams of Kerala, Nilgiris
4. 5. 6.	Puntius amphibius (C. & V.) Puntius mahecola (Val.) Puntius filamentosus (Valoncionnes)	Kooral Karuva/Paral –	Azhutha, Pamba """	Common "	India; Peninsular India, Sri Lanka. "
7.	(valenciennes) Echathalakanda ophiocephalus (Raj)	Ectilakanta	River above Mlappara	Rare	India; Kerala Hill stream. Rediscovered from Mlappara.
8.	Tor kluidree (Sykes)	Kuyil	River & Lake	Common	India: Deccan and P. India; Sri Lanka.
9. 10.	Garra uullya (Sykes) Garra gotyla stenorhynchus (Jerdon)	Kallemutti "	River & Reservoir	Common "	India; Hill streams of P. India. India; Western Ghats. Cauvery & Krishna drainages.
11.	Hypsilobarbus kurali (Menon & Rema Devi)	Kooral	Stream & Lake	"	India; Dakshina Kannada to Travancore Hills.
12. 13.	H. periyareusis (Raj) Crossocheilus periyarensis (Menon & Jacob)	Kariyan Karimbachy	Fast flowing rivers River above Thannikudy	" Rare	India; Kerala, Periyar.
Sub	family schizothoracinae				
14.	Lepidopygopsis typus Raj	Brahmana Konda	Periyar above river		India; Kerala, Periyar river system.
Sub	family RASBORINAE				
15.	<i>Parluciosonia daniconius</i> (Ham.)	Kannanjon	Lake, Azhutha stream	Very common	India; Sri Lanka, Pakistan, Nepal, Bangladesh, Myanmar (Burma), Thailand.
16.	Barilius beudelisis (Ham.)	Pavukan	Thannikudy, Lake, River	Common	India; Pakistan, Nepal, Bangladesh
17.	B.bakeri Day	**	**	"	India; Kerala, W. Ghats.
18. 19.	B. gatensis (C. & V.) Danio aequipiunatus (McClell.)	·,·	" Azhutha, Pamba	" Very common	Peninsular India, W. Ghats. India; Nepal, Bangladesh, Myanmar. Thailand.
Fan 20.	nily Homalopteridae <i>Travancoria jonesi</i> Hora	Kallotty	Rivers above Thannikudy	Rare	India: W.Ghats, High Ranges of Kerala.
Fan	nily Cobitidae				
21.	<i>Lepidocephalus thermalis</i> (C. & V.)	Ayira	Lake/River	Common	P. India; Sri Lanka.
22. 23.	Noemacheilus botia N. triaugularis	Ayira "	Small streams	Rare	Hill stream of Travancore. India; W. Ghats.

40

Name of the Species	Local/Tribal Name	Locality	Relative abundance	General distribution
24. N. evezardi	Ayira	Small streams	Rare	India; W. Ghats and Madhya Pradesh
Order SILURIFORMES				i radosn.
Family HETEROPNEUSTIDAE				
25.Heteropheustes fossilis	Kary (Bloch)	Lake	Very Common	India; Pakistan, Sri Lanka, Nepal.
Family SILURIDAE				
26. Oupok bimaculatus (Bloch)	Chottavala	Lake		India; Pakistan, Nepal, Bangladesh, Myanmar, Thailand, Java, Sumatra, Borneo.
Family SISORIDAE				
27.Glyptothorax madraspatannm	Parayotti (Day)	Thannikudy	Uncommon	India; W. Ghats.
Order ANGUILLIFORMES Family Anguillidae				
28. Angnilla bengalensis	Mlanjil	Azhutha	Uncommon	India; Pakistan, Sri Lanka, Myanmar
Order ATHERINIFORMES				ivi y anniai.
Family CYPRINODONTIDAE				
29. Aplocheilns lineaths lineaths	Poonjan	River & Lake	Very Common	Peninsular India.
Order PERCIFORMES				
Family CICHLIDAE 30. <i>Oreochromis mossambica</i> (Peters)	Thilapi	Lake	Very common	Introduced.
Family Channidae				
31. Channa striata (Bloch)	Varal	Lake	Rare	India: Sri Lanka, Pakistan, Bangladesh, Nepal, Myanmar, Malaya, Malaya Archipelago, Thailand up to Philippines.
32. C.orieutalis (Bloch & Schn.)	Vatton	Lake & Rivers	"	India; Iran, Afganistan, Nepal, Pakistan, Sri Lanka, Bangladesh, Myanmar, Thailand, Yunan, Malaya, Malay Archipelago,
33. C. marulius	Cherumeen	Azhutha, Pamba "		Hainan, and Taiwan. India; Pakistan, Sri Lanka, Bangladesh, Nepal, Myanmar, Thailand Sumatra Borneo, China
Order MASTACEMBELIFORMES				manand, Sumarra, Domeo, China.
Family MASTACEMBELIDAE				
34. Mastacembelns armatns (Lacep.)	Aaron	River, Lake	Common	Pakistan, Sri Lanka, Nepal, Thailand, India, Myanmar, Malaya to South China
35. Macroguathus aral (Bloch & Schn.)	"	Vazhukkappara stream	Rare	India: Pakistan, Sri Lanka, Vietnam, Bangladesh, Nepal, Myanmar, Thailand, Laos, Malaya and East Indies.

TABLE 1 (Contd.)

# MATERIALS AND METHODS

Fish samples were collected from January, 1992 to December, 1994 from different localities in the rivers and lakes while conducting wildlife studies. The collections were made from the Periyar river, Mullayar river, and their tributaries and different areas of the reservoir; boat landing, near dam, Mullakkudy, Manakkavala, Swamikkayam and Padikkayam. Fishes were also collected from rivers Pamba and Azhutha.

Fishes were collected by gill-nets, cast-nets, hooks and bait. Worms, grasshoppers, small fishes, fruits of some trees, boiled tapioca and even rice paste were used as baits. For collecting small fishes, a special method called "Vatty" was used. Some were collected from local fisherman. Fishes were preserved in 5% formalin and identified in the laboratory.

## **RESULTS AND DISCUSSIONS**

Thirtyfive species of fishes, representing 21 genera and 11 families were collected and identified (Table 1). Morphological particulars of these species are available in Day (1876-88), Hora (1941a,b), Silas (1951a,b), Munro (1955), Talwar and Jhingran (1991). Out of the 33 species mentioned in the list of Chacko (1948), species like *Mystus cavasius* (Ham.), *M. vittatus* (Bloch), *Notopterus notopterus* (Pallas), etc., were neither found in the reservoir nor in the tributaries of Periyar and Pamba during this survey.

The species Parluciosoma daniconius (Ham.), Puntius melanamphyx (Day), Hypsilobarbus kurali (Menon & Rema Devi), Garra mullya (Sykes) were collected from almost all localities of the reservoir. Among these 35 species, about 13 species are usually found in upper streams and are adapted to lotic torrential waters. They are Travancoria jonesi (Hora), Garra mullya (Sykes), Garra gotyla stenorhynchus (Jerdon), Tor khudree (Sykes), Hypsilobarbus periyarensis (Raj), Crossocheilus *periyarensis* (Menon & Jacob), Barbus ophiocephalus (Raj), Lepidopygopsis typus (Raj), Noemacheilus evezardi (Day), Glyptothorax madraspatanum (Day), Barilius bakeri (Day), B.bendelisis (Ham.) and B. gatensis (Cuvier & Val.). Some of them are adapted to cling to the substratum by some attachment devices, e.g. Garra, Travancoria and Glyptothorax.

Fishes like Heteropneustes fossilis (Bloch), Ompaok bimaculatus (Bloch), Channa striatus (Bloch), C.orientalis (Bloch & Schn.), C.marulius (Ham.), *Cyprinus carpio communis* (Linn.), *Oreochromis mossambica* (Peters), etc., are restricted to lentic waters of the reservoir.

Among the hillstream fishes *Crossocheilus* periyarensis (Menon & Jacob), a rare species was a new discovery from Periyar. Another fish which was believed to be extinct, *Barbus ophiocephalus* (Raj) was rediscovered. *Lepidopygopsis typus* (Raj), *Hypsilobarbus kurali* (Menon & Rema Devi), *Tor khudree* (Sykes), *Travancoria jonesi* (Hora) are some of the endemic species of the Southern Western Ghats. Preliminary studies on the food habits of Tor (through stomach content examination) have indicated that this species took a variety of fruits.

## Conservation and Management

"Mannan" and "Paliyans" (local tribals) above forty years of age speak of abundant fish in all the rivers, especially in Periyar and in the reservoir in the past. According to them, this abundance was due to undisturbed conditions of Periyar, Mullayar and their tributaries. But now all these areas are disturbed by indiscriminate fishing, deforestation, hunting, etc. In addition, new exotic fishes which were introduced to the reservoir, namely *Oreochromiss mossambica* (Peters) and *Cyprinus carpio communis* compete with native species of fishes for food and habitat.

#### RECOMMENDATIONS

- 1. Fishing activities in Periyar should be controlled.
- 2. Fishing during monsoon, which is the breeding season of most of the fishes should be banned.
- 3. Research should be conducted for assessing population density and habitat requirements of fishes in the rivers and lake.
- 4. Remove the introduced fishes from the reservoir and restock with fingerlings of species like *Tor khudree* (Sykes), which has sport value.
- 5. Sport fisheries could be developed to cater to

the needs of tourists in the tourist zone which could generate revenue for the Government.

- 6. *Puntius melanampyx* could be used as an aquarium fish.
- 7. Plant trees on the lake edges for providing food for species like Tor.

## **ACKNOWLEDGEMENTS**

We are grateful to Dr. A.G.K. Menon for his suggestions and constructive comments on an early draft of this paper. We thank Dr. M.P. Thobias for his suggestion and help. Sri C.P. Shaji and Sri P. Muhammed Jafer assisted in the collection of specimens.

#### References

- Снаско, P.I. (1948): Development of Fisheries of the Periyar lake. J. Bombay nat. Hist. Soc. 48: 191-192.
- DAY, F. (1886-1888): Fishes of India, London.
- HORA, S.L. (1941a): Homalopterid fishes from peninsular India. Rec. Ind. Mus. 43: 230-231.
- HORA, S.L. (1941b): The Freshwater fish of Travancore. *Rec. Ind. Mus.* 43: 234-256.
- JOHN, C.C. (1936): Freshwater fishes and fisheries of Travancore. J. Bombay nat. Hist. Soc. 38: 702-783.
- MENON, A.G.K. & P.C. JACOB (1996): *Crossocheilus periyarensis*, a new Cyprinid fish from Thannikudy (Thekkady), Kerala, S. India. *J. Bombay nat. Hist. Soc.* 93(1): 62-64.
- MUNRO, 1.S.R. (1955): The marine and fresh water fishes of Ceylon. Canberra (Dept. External Affairs). pp. 351.
- PILLAY, R.S.N. (1929): A list of fishes taken in Travancore from

1901-1915. J. Bombay nat. Hist. Soc. 33: 347-379.

- RAI B.S. (1941a): A new genus of Schizothoracine fishes from Travancore, South India. *Rec. Ind. Mus.* 43: 209-214.
- RAJ, B.S. (1941b): Two new Cyprinid fishes from Travancore, South India, with remarks on *Barbus (Puntius) micropogon*. Cuv. & Val. *Rec. Ind. Mus.* 43: 375-386.
- SILAS E.G. (1951a): On a collection of fish from the Anamalai and Nelliampathi Hills ranges (Western Ghats) with notes on its zoogeographical significances. J. Bombay nat. Hist. Soc. 49: 670-681.
- SILAS E.G. (1951b): Fishes from High Range of Travaneore. J. Bombay nat. Hist. Soc. 50: 323-330.
- TALWAR, P.K. & A.G. JHINGRAN (1991): Inland Fishes of India and adjacent countries: Vol. 1 & 2. Oxford & IBH Publishing Co. Pvt. Ltd.